

# Technical data sheet



## Product features

### Cooking range electric 6x plate without cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00004092
--------------	-----------------	----------



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2
- Power consumption of the zone 2 [kW]: 2
- Power consumption of the zone 3 [kW]: 2
- Power consumption of the zone 4 [kW]: 2
- Power consumption of the zone 5 [kW]: 2
- Power consumption of the zone 6 [kW]: 2
- Protection of controls: IPX4
- Material: AISI 304 top plate, AISI 430 cladding

<b>SAP Code</b>	00004092	<b>Number of zones</b>	6
<b>Net Width [mm]</b>	988	<b>Power consumption of the zone 1 [kW]</b>	2
<b>Net Depth [mm]</b>	609	<b>Power consumption of the zone 2 [kW]</b>	2
<b>Net Height [mm]</b>	290	<b>Power consumption of the zone 3 [kW]</b>	2
<b>Net Weight [kg]</b>	33.00	<b>Power consumption of the zone 4 [kW]</b>	2
<b>Power electric [kW]</b>	12.000	<b>Power consumption of the zone 5 [kW]</b>	2
<b>Loading</b>	400 V / 3N - 50 Hz	<b>Power consumption of the zone 6 [kW]</b>	2

# Technical data sheet




Technical drawing

Cooking range electric 6x plate without cabinet 400 V

Model

SAP Code

00004092



### Cooking range electric 6x plate without cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00004092
--------------	-----------------	----------

**1 Internal thermostatic plate protection**  
longer service life of the plates  
– no overheating of the plates and no cracking

**2 Degree of protection of the control elements IPX4**  
maintenance-free system  
resistance to splash water  
long life  
– savings on service interventions  
– greater job security for staff

**3 All stainless steel design**  
long life  
resistance of AISI 304 stainless steel material  
the material does not cut  
– savings on service interventions  
– easy cleaning and maintenance of equipment

**4 Hygienic moldings of the top plate**  
absence of sharp corners and edges (potential places where dirt could stick)  
smooth transitions  
– easy quick cleaning

**5 Cooking unit for use on a table or on a base**  
absence of sharp corners and edges (potential places where dirt could stick)  
smooth transitions  
– easy handling  
– cost savings on substructure

# Technical data sheet



## Technical parameters

### Cooking range electric 6x plate without cabinet 400 V

**Model**

**SAP Code**

00004092

**1. SAP Code:**

00004092

**2. Net Width [mm]:**

988

**3. Net Depth [mm]:**

609

**4. Net Height [mm]:**

290

**5. Net Weight [kg]:**

33.00

**6. Gross Width [mm]:**

705

**7. Gross depth [mm]:**

1055

**8. Gross Height [mm]:**

540

**9. Gross Weight [kg]:**

35.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

12.000

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 304 top plate, AISI 430 cladding

**16. Indicators:**

operation

**17. Worktop type:**

Molded - comfortable cleaning maintenance

**18. Worktop material:**

AISI 304

**19. Worktop Thickness [mm]:**

0.80

**20. Number of zones:**

6

**21. Power consumption of the zone 1 [kW]:**

2

**22. Power consumption of the zone 2 [kW]:**

2

**23. Power consumption of the zone 3 [kW]:**

2

**24. Power consumption of the zone 4 [kW]:**

2

**25. Power consumption of the zone 5 [kW]:**

2

**26. Power consumption of the zone 6 [kW]:**

2

**27. Maximum device temperature [°C]:**

400

**28. Minimum device temperature [°C]:**

50

# Technical data sheet



Technical parameters

## Cooking range electric 6x plate without cabinet 400 V

Model

SAP Code

00004092

### 29. Number of power control stages:

6

### 32. Number of burners/hot plates:

6

### 30. Safety element:

internal thermostatic protection of the hotplate against overheating

### 33. Type of electric cooking zones:

Oval

### 31. Adjustable feet:

Yes

### 34. Cross-section of conductors CU [mm<sup>2</sup>]:

4

– Výkon (kW): 30-37 (230 V); 53-64 (400 V)