

Product features

### Cooking range combined with electric convection oven GN 1/1 - 6x burner

Model

**SAP Code** 

00002059



- Device type: Combined unit
- Power consumption of the zone 1 [kW]: 4,5
- Power consumption of the zone 2 [kW]: 4,5
- Power consumption of the zone 3 [kW]: 4,5
- Power consumption of the zone 4 [kW]: 4,5
- Power consumption of the zone 5 [kW]: 4,5
- Power consumption of the zone 6 [kW]: 4,5
- Type of internal part of the appliance 1 (eg oven): Electric
- Type of internal part of the appliance 2 (eg oven): Hot air
- Protection of controls: IPX4
- Material: AISI 304 top plate, AISI 430 cladding

SAP Code	00002059	Power consumption of the zone 2 [kW]	4,5
Net Width [mm]	988	Power consumption of the zone 3 [kW]	4,5
Net Depth [mm]	609	Power consumption of the zone 4 [kW]	4,5
Net Height [mm]	900	Power consumption of the zone 5 [kW]	4,5
Net Weight [kg]	110.00	Power consumption of the zone 6 [kW]	4,5
Power electric [kW]	3.130	Type of internal part of the appliance 1 (eg oven)	Electric
Loading	230 V / 1N - 50 Hz	Type of internal part of the appliance 2 (eg oven)	Hot air
Power gas [kW]	27.000	Width of internal part [mm]	548
Type of gas	Natural gas, propane butane	Depth of internal part [mm]	360
Number of zones	6	Height of internal part [mm]	338
Power consumption of the zone 1 [kW]	4,5		




Technical drawing

Cooking range combined with electric convection oven GN 1/1 - 6x burner

Model SAP Code

00002059





**Product benefits** 

#### Cooking range combined with electric convection oven GN 1/1 - 6x burner

**Model SAP Code** 00002059

1

### **Centered high performance burners**

high performance and efficiency brass removable burners long life detachable

- energy saving (perfect combustion)
- time saving for food preparation
- easy maintenance/cleaning

2

### Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

3

### Hot air oven

hot air baking high capacity and variability all-stainless design

- suitable for meat, fish, baked pasta, white meat, sweet pastries
- long service life
- easy to clean

4

### Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- greater job security for staff

5

#### All stainless steel design

long life resistance of AISI 304 stainless steel material the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

6

### Safety element - thermocouple

safe service for staff there is no unnecessary gas leakage long life

- savings on service interventions
- easier and faster operation

7

#### Removable basin under the burners

removable top plate without tools

- easier cleaning
- dishwasher safe
- easier servicing

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com



### Technical parameters

Cooking range combined with electric convection oven GN 1/1 - 6x burner			
Model SAP Code	00002059		
<b>1. SAP Code:</b> 00002059	<b>15. Type of gas:</b> Natural gas, propane butane		
2. Net Width [mm]: 988	16. Protection of controls:		
<b>3. Net Depth [mm]:</b> 609	<b>17. Material:</b> AISI 304 top plate, AISI 430 cladding		
4. Net Height [mm]: 900	<b>18. Indicators:</b> running and heating the oven		
5. Net Weight [kg]: 110.00	<b>19. Worktop material:</b> AISI 304		
<b>6. Gross Width [mm]:</b> 705	20. Worktop Thickness [mm]: 0.80		
7. Gross depth [mm]: 1055	21. Number of zones:		
8. Gross Height [mm]: 1120	22. Power consumption of the zone 1 [kW]: 4,5		
9. Gross Weight [kg]: 115.00	23. Power consumption of the zone 2 [kW]: 4,5		
10. Device type: Combined unit	<b>24. Power consumption of the zone 3 [kW]:</b> 4,5		
11. Construction type of device: With substructure	25. Power consumption of the zone 4 [kW]: 4,5		
12. Power electric [kW]: 3.130	26. Power consumption of the zone 5 [kW]: 4,5		
13. Loading: 230 V / 1N - 50 Hz	27. Power consumption of the zone 6 [kW]: 4,5		
14. Power gas [kW]: 27.000	28. Number of power control stages:		



### Technical parameters

Cooking range combined with electric convection oven GN 1/1 - 6x burner			
Model	SAP Code	00002059	
<b>29. Safety thermostat up to x ° C:</b> 360		<b>36. Width of internal part [mm]:</b> 548	
<b>30. Adjustable feet:</b> Yes		<b>37. Depth of internal part [mm]:</b> 360	
<b>31. Number of burners/hot plates:</b> 6		<b>38. Height of internal part [mm]:</b> 338	
<b>32. Type of gas cooking zones:</b> Brass burners		<b>39.</b> Maximum temperature of the inner chamber [°C]: 300	
33. Oven Type: electric hot air		<b>40.</b> Minimum temperature of the inner chamber [°C]: 50	
34. Type of internal part of the appliance 1 (eg oven):  Electric		<b>41. Connection to a ball valve:</b> 1/2	
<b>35. Type of internal part of the appliance 2 (eg oven):</b> Hot air		<b>42. Cross-section of conductors CU [mm²]:</b> 0,75  - Výkon (kW): 3,3-3,7 (230 V)	