

Technical data sheet

Product features



Lava stone grill gas 52x36 on open cabinet

Model	SAP Code	00110078
GL 70/40 G	A group of articles - web	Grills and grill plates



- Griddle dimensions [mm x mm]: 520 x 360
- Container for liquid fat: Yes
- Ignition: Piezo + večný plamen

SAP Code	00110078	Net Weight [kg]	41.80
Net Width [mm]	400	Power gas [kW]	6.500
Net Depth [mm]	700	Type of gas	Natural gas, propane butane
Net Height [mm]	1004	Griddle dimensions [mm x mm]	520 x 360




Technical data sheet

Technical drawing



Lava stone grill gas 52x36 on open cabinet

Model	SAP Code	00110078
GL 70/40 G	A group of articles - web	Grills and grill plates



Technical data sheet



Product benefits

Lava stone grill gas 52x36 on open cabinet

Model	SAP Code	00110078
GL 70/40 G	A group of articles - web	Grills and grill plates

1

All-stainless design

long life
corrosion resistance of the top plate material

2

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

3

Outlet for waste liquids

ensures that oil drips into the socket

4

High detachable hem

better hygienic conditions
preventing grease from splashing onto
ancillary equipment

5

Safety element – thermocouple

safe operation for personnel
there is no overheating and damage to the thallus
long life

Technical data sheet

Technical parameters



Lava stone grill gas 52x36 on open cabinet

Model	SAP Code	00110078
GL 70/40 G	A group of articles - web	Grills and grill plates

1. SAP Code:

00110078

2. Net Width [mm]:

400

3. Net Depth [mm]:

700

4. Net Height [mm]:

1004

5. Net Weight [kg]:

41.80

6. Gross Width [mm]:

460

7. Gross depth [mm]:

820

8. Gross Height [mm]:

1182

9. Gross Weight [kg]:

49.80

10. Device type:

Gas unit

11. Construction type of device:

With substructure

12. Power gas [kW]:

6.500

13. Ignition:

Piezo + večný plamen

14. Type of gas:

Natural gas, propane butane

15. Protection of controls:

IPX4

16. Material:

Stainless steel

17. Griddle dimensions [mm x mm]:

520 x 360

18. Container for liquid fat:

Yes

19. Removable device container:

No

20. Connection to a ball valve:

1/2